Agricultural Land-Use Change and Cropping Pattern in Jaipur District, Rajasthan: A Review of Trends, Drivers and Planning Implications

Bhim Singh
Research Scholar
Department of Geography
University of Rajasthan, Jaipur
Email: bheemsinghyadav15@gmail.com

Dr. Abhishek Vashishtha
Associate Professor
Department of Geography
SPNKS Govt. PG College,
Dausa, Rajasthan

Reference to this paper should be made as follows:
Received: 16.09.2026
Approved: 20.10.2026

Bhim Singh
Dr. Abhishek Vashishtha

Agricultural Land-Use Change and Cropping Pattern in Jaipur District, Rajasthan: A Review of Trends, Drivers and Planning Implications

Voyager: Vol. XVII, 2026
Article No. 03
Pg. 016-028
Similarity Check: 03%

Online available at:
https://anubooks.com/journal-volume/voyager-vol-xvii-2026
DOI: *https://doi.org/10.31995/voyager.2026.v17.003*

Abstract

Agricultural land use is a dynamic component of the rural landscape and is continuously influenced by environmental, technological, economic, social and institutional factors. Jaipur district of Rajasthan represents a semi-arid agricultural region where irregular rainfall, water scarcity, irrigation development, changing market conditions and increasing technological intervention have contributed to changes in cropping practices. This review synthesizes the provided literature on agricultural land use and cropping patterns in Jaipur district, with particular emphasis on changes in food and non-food crops, irrigation, agricultural production, crop diversification and cropping intensity. The paper critically discusses the major trends and relationships reported in the source material. The review indicates a broad transformation in the agricultural system, including shifts among cereals, pulses, oilseeds, fruits and vegetables, changes in irrigated agriculture, increasing adoption of improved agricultural technologies, and spatial variation in the intensity of land-use change among different parts of the district. Irrigation availability, rainfall variability, soil characteristics, improved seeds, mechanization, market demand and agricultural policies emerge as important factors shaping these transformations. The review further highlights the importance of integrated water management, crop diversification, sustainable intensification and location-specific agricultural planning for the future development of Jaipur's agricultural landscape.

Keywords

Agricultural land use, cropping pattern, Jaipur, Rajasthan, irrigation, crop diversification, agricultural change, cropping intensity, sustainable agriculture.

https://doi.org/10.31995/voyager.2026.v17.003

Introduction

Agriculture is an important component of India's rural economy and remains closely connected with employment, livelihoods, food security and regional development. Agricultural land use, however, is not static. The crops cultivated in a particular region and the manner in which land is utilized change over time in response to variations in climate, soil, water availability, technology, market demand, government policies and socio-economic conditions (Rose, S., & Kalia, S., 2018 & Sing J.P. 1992).

Cropping pattern refers broadly to the spatial and temporal distribution of crops cultivated within an agricultural region. It reflects the relationship between available natural resources and the decisions made by farmers under particular economic and technological circumstances.

Consequently, cropping patterns can be considered an important indicator of agricultural transformation (Debashis Das, 1992 & Majid Husain, 1982; 2002).

Jaipur district provides an interesting setting for examining these processes. The district lies within the semi-arid environment of Rajasthan, where agricultural activities are affected by seasonal rainfall and periodic water scarcity. Both rain-fed and irrigated agriculture are practiced, resulting in considerable spatial differences in agricultural land use. The introduction of improved seeds, agricultural machinery, chemical fertilizers, irrigation technologies and commercial crops has contributed to changes in traditional agricultural practices (Grigg Dvid, 1971).

The study examines agricultural land-use changes in Jaipur district by comparing different aspects of cropping patterns and examining relationships among agricultural categories. The work considers food crops and non-food crops, irrigation, production, crop diversification and cropping intensity (Sunil Vithal Sunatkar 2018).

The purpose of this review is therefore not to reproduce the original statistical analysis but to provide a coherent interpretation of the major agricultural land-use trends, their underlying causes and their implications for sustainable agricultural planning (Jasbir Singh ,1976 & Momoria, C.B 1979).

Objectives of the Review

The major objectives of this review are:

1. To examine the concept and changing nature of agricultural land use in Jaipur district.
2. To review changes in the cropping pattern between the periods considered in the source study.
3. To understand the changing importance of food and non-food crops.

4. To examine the role of irrigation in agricultural transformation.
5. To discuss the relationship between agricultural production and changing land-use practices.
6. To identify the major environmental, technological and socio-economic factors influencing cropping patterns.
7. To review spatial variations in agricultural change within Jaipur district.
8. To discuss the significance of crop diversification and cropping intensity.
9. To identify implications for sustainable agricultural and rural planning.

Conceptual Background

Agricultural land use is the outcome of interaction between physical and human factors. Physical factors include climate, rainfall, soil, topography and availability of water. Human factors include population pressure, technological development, accessibility, agricultural markets, government policies, availability of agricultural inputs and farmers' economic decisions.

In semi-arid regions, water availability becomes particularly important. Rainfall is seasonal and uncertain, and consequently farmers frequently depend on irrigation to stabilize agricultural production. Expansion of irrigation can enable farmers to cultivate crops that require more reliable water supplies and can also facilitate multiple cropping. Cropping patterns are therefore dynamic rather than permanent. A farmer may replace one crop with another because of differences in profitability, water requirements, market demand, soil suitability or production risk. The introduction of new technologies can further accelerate such changes.

The agricultural landscape can consequently be understood through several interconnected dimensions:

- **Cropping area** – the distribution of cultivated land among different crops.
- **Irrigated agriculture** – the availability and distribution of irrigation for different crops.
- **Agricultural production** – the output associated with different crop groups.
- **Crop diversification** – the movement from a narrow crop structure toward a broader combination of crops.
- **Cropping intensity** – the extent to which cultivated land is used repeatedly during an agricultural cycle.
- **Land-use stability or change** – the degree to which the agricultural composition of an area changes over time.

https://doi.org/10.31995/voyager.2026.v17.003

These dimensions collectively provide a framework for understanding agricultural transformation in Jaipur district.


Agricultural Setting of Jaipur District

The agricultural environment of Jaipur is characterized by semi-arid conditions and considerable dependence on seasonal rainfall. Rainfall variability creates uncertainty for farming, particularly in areas where irrigation infrastructure is limited.

The district contains areas with both relatively intensive irrigated agriculture and predominantly rain-dependent farming. Such variations contribute to differences in crop selection and agricultural productivity.

The agricultural system has also been influenced by technological modernization. Farmers have increasingly adopted machinery, improved varieties of seeds, soil testing, chemical fertilizers and modern irrigation practices. Drip irrigation and other water-management technologies have particular relevance in a water-scarce environment.

These changes have contributed to the emergence of a more diverse agricultural system in which traditional food crops coexist with oilseeds, fruits, vegetables and other commercially important crops.



Source: Aquifer Mapping and Management of Ground Water Resources, Jaipur District, 2022

Changing Cropping Pattern

The reviewed study classifies crops broadly into food crops and non-food crops. Food crops include cereals and pulses, while non-food crops include oilseeds and other agricultural commodities such as fruits and vegetables.

The agricultural structure of Jaipur remains strongly associated with food crops. Cereals continue to occupy an important position because of their role in food security and

their adaptability to the regional agricultural environment. Pulses also form an important component of the cropping system, although their spatial importance varies across the district.

At the same time, the agricultural system has experienced increasing diversification. Oilseeds have become particularly significant in several parts of the district. Fruits and vegetables have also emerged as important components of agricultural diversification where soil, water availability, market access and production conditions are favorable.

The shift toward diversified crops demonstrates that farmers are responding not only to environmental conditions but also to economic opportunities. Commercial crops can provide higher returns under favorable market conditions, although they may also involve greater water requirements, input costs and market risks.

Thus, the agricultural transformation of Jaipur should not be interpreted simply as a replacement of food crops by non-food crops. Rather, it represents a reorganization of the cropping system in which farmers balance food production, profitability, water availability and agricultural risk.

Role of Irrigation in Agricultural Change

Irrigation is one of the most important factors influencing agricultural land use in Jaipur district.

The semi-arid climatic environment makes agricultural production highly dependent on the availability and reliability of water. Expansion or redistribution of irrigation can therefore lead to significant changes in crop selection.

The reviewed material indicates that irrigation has supported the cultivation of crops that may otherwise be difficult to maintain under uncertain rainfall conditions. It has also encouraged diversification into oilseeds, fruits and vegetables in suitable locations.

Modern irrigation technologies, particularly drip irrigation, have further contributed to agricultural transformation. Such systems can potentially improve water-use efficiency and support high-value crops where water resources are limited.

However, increased dependence on irrigation also creates important sustainability concerns. In semi-arid regions, agricultural development based solely on expanding groundwater extraction may create long-term problems. Therefore, future agricultural policies need to emphasize water conservation, efficient irrigation, groundwater management and crop planning based on local water availability.

Agricultural Production and Productivity

Agricultural production is influenced by the interaction of land, water, climate, technology, crop choice and agricultural inputs.

The reviewed study associates changes in production with several factors, including:

- improved irrigation facilities;

- favorable rainfall conditions;
- improved seed quality;
- technological development;
- agricultural machinery;
- soil suitability;
- changing crop selection; and
- supportive agricultural policies.

These factors demonstrate that agricultural production cannot be explained by cultivated area alone. Improvements in technology and resource management can increase productivity even where the agricultural area does not expand substantially.

The relationship between crop area and production is also complex. A crop may occupy a smaller area but generate relatively greater production if improved varieties, irrigation and management practices are adopted. Conversely, expansion of crop area does not necessarily guarantee higher productivity if water, soil or climatic conditions are unfavorable.

This suggests that agricultural planning in Jaipur should focus increasingly on **productivity per unit of land and water**, rather than simply expanding cultivated land.

Spatial Variation in Agricultural Land-Use Change

One of the important contributions of the reviewed work is its recognition that agricultural transformation is spatially uneven.

Different parts of Jaipur district exhibit different levels and types of agricultural change. Some areas show relatively stable agricultural patterns, whereas others demonstrate substantial transformation in cultivated area, irrigation and production.

Areas experiencing stronger agricultural change are associated with shifts between food and non-food crops and changes in irrigated agriculture. The source study particularly identifies Bassi, Kotputli and Jaipur among areas exhibiting comparatively dynamic changes in agricultural land use.

Other parts of the district show moderate or relatively limited transformation. This spatial differentiation is important because agricultural policies designed for the district as a whole may not adequately address the needs of individual agricultural zones.

For example, an area with abundant irrigation and access to markets may benefit from horticulture and commercial crop diversification, whereas a water-stressed area may require greater emphasis on drought-resistant crops and water conservation.

Thus, **location-specific agricultural planning** is essential for sustainable development.

Changes in Food Crops

Cereals remain an important part of the agricultural structure of Jaipur. Crops such as wheat, barley, bajra, maize and jowar have historically contributed to the agricultural economy, although their relative importance varies spatially and temporally.

The reviewed material indicates that some cereal crops experienced reductions in particular locations, while others gained importance. Bajra, for example, appears as an important crop in areas where its environmental suitability and agricultural role remain strong.

The changing position of cereals reflects the influence of both climatic and economic factors. Drought-resistant crops may remain attractive under uncertain rainfall, whereas crops requiring reliable irrigation may become more competitive in irrigated areas.

Pulses also show considerable spatial variation. In some parts of the district, pulses have gained importance in irrigated agricultural systems, whereas particular pulse crops have experienced reductions in other locations.

Maintaining an appropriate balance between cereals, pulses and commercial crops is important for both agricultural sustainability and food security.

Changes in Non-Food Crops

Oilseeds represent a major component of the non-food crop category. Crops such as mustard, groundnut and taramira have significance in the agricultural system of Rajasthan.

The source material indicates that oilseed cultivation has expanded or become more prominent in several areas, partly because of market demand, suitability of soils and profitability.

Fruits and vegetables have also contributed to diversification. Crops such as pomegranate, ber, aonla and lemon, along with various vegetables, provide opportunities for higher-value agricultural production.

However, horticultural diversification requires appropriate irrigation, technical knowledge, post-harvest facilities, transportation and market access. Perishable commodities may face greater risks where storage and marketing infrastructure is inadequate.

Therefore, diversification into non-food and high-value crops should be supported by an integrated agricultural value chain rather than simply encouraging farmers to change crops.

Agricultural Technology and Modernization

Technological development is another important driver of agricultural change.

The reviewed material highlights the adoption of:

- agricultural machinery;
- improved and high-yielding varieties;
- soil testing;

- chemical fertilizers;
- drip irrigation;
- improved cultivation practices; and
- other modern agricultural technologies.

Mechanization can reduce labor requirements and improve the timeliness of agricultural operations. Soil testing can improve the scientific management of nutrients, while improved seeds can increase yield potential under appropriate conditions.

Modern irrigation systems can also contribute to more efficient use of water. Nevertheless, technology must be adapted to local environmental conditions. Excessive dependence on chemical inputs or water-intensive crops can create environmental problems if not accompanied by appropriate resource management.

The objective of modernization should therefore be **sustainable intensification**, where productivity increases without causing unacceptable degradation of soil and water resources.

Crop Diversification

Crop diversification is an important characteristic of agricultural transformation in Jaipur district.

Diversification may occur when farmers introduce new crops alongside traditional crops or shift toward commercially attractive commodities. It can provide several potential benefits:

1. Reduction of dependence on a single crop.
2. Greater flexibility in response to market conditions.
3. Potential improvement in farm income.
4. Better utilization of different soil conditions.
5. Opportunities for horticultural development.
6. Potential reduction of agricultural risk.

However, diversification can also introduce new risks. Commercial crops may be more sensitive to market price fluctuations, perishability and input costs.

Therefore, diversification should be based on a combination of agro-ecological suitability, water availability, market demand and farmers' capacity.

Cropping Intensity

Cropping intensity is another important dimension of agricultural land use. It reflects the extent to which agricultural land is utilized repeatedly within a given agricultural cycle.

Higher cropping intensity may indicate better utilization of land and irrigation resources. However, increasing intensity without adequate soil and water management may also place pressure on natural resources.

The reviewed study considers different levels of cropping intensity and examines changes in intensity across the district. Spatial variations indicate that agricultural land is not utilized with the same degree of intensity everywhere.

Irrigation availability, rainfall, soil conditions, technology and access to agricultural inputs are important determinants of cropping intensity.

Sustainable increases in cropping intensity should therefore be accompanied by:

- soil fertility management;
- balanced nutrient application;
- efficient irrigation;
- crop rotation;
- conservation agriculture; and
- appropriate selection of crops.

Correlation Among Agricultural Categories

The source study also emphasizes correlation among different categories of agricultural land use, including cereals, pulses, oilseeds and other crops.

Such correlation analysis is useful because crop categories do not operate independently. An increase in one crop group may occur alongside a decline in another because farmers allocate a limited amount of agricultural land among competing alternatives.

For example, expansion of oilseed cultivation may occur through the reallocation of land previously used for another crop. Similarly, changes in irrigation can alter the relative attractiveness of different crops.

Correlation analysis can therefore help policymakers understand whether different crops are complementary, competitive or associated through common environmental and economic factors.

However, correlation alone does not establish causation. A strong relationship between two agricultural variables may arise from a third factor such as rainfall, irrigation, market prices or government policy.

Consequently, future studies should combine statistical correlation with field-level information and causal analysis.

Major Drivers of Agricultural Land-Use Change

The reviewed literature suggests that agricultural transformation in Jaipur results from the combined influence of several factors.

Climate and Rainfall

Seasonal and uncertain rainfall is a fundamental constraint. Variations in rainfall influence crop selection, production stability and irrigation requirements.

https://doi.org/10.31995/voyager.2026.v17.003

Water Availability

Irrigation plays a major role in determining which crops can be cultivated and how intensively land can be used.

Soil Characteristics

Different crops have different soil requirements. Soil suitability therefore contributes to spatial differences in crop distribution.

Market Demand

Farmers may shift toward crops with stronger market demand and better returns. Oilseeds, fruits and vegetables can become attractive when market conditions are favorable.

Technology

Improved seeds, mechanization, irrigation technologies and scientific farm management have facilitated agricultural transformation.

Agricultural Policies

Government programs supporting irrigation, technology, improved seeds and agricultural development can influence farmers' production decisions.

Transportation and Market Access

For perishable crops such as fruits and vegetables, proximity to markets and efficient transportation are particularly important.

Farmer Knowledge and Skills

Successful diversification often requires technical knowledge concerning cultivation, irrigation, pest management, harvesting and marketing.

Environmental and Sustainability Considerations

Agricultural development in Jaipur must be considered within the limitations imposed by the semi-arid environment.

Water scarcity is perhaps the most important long-term challenge. Agricultural expansion based on excessive water extraction can undermine the sustainability of farming itself.

Similarly, intensive cultivation and excessive use of chemical fertilizers can affect soil quality and environmental health. Sustainable agriculture therefore requires a balance between productivity and conservation.

Important measures include:

- promotion of water-efficient irrigation;
- rainwater harvesting;
- groundwater recharge;
- drought-tolerant crops;
- crop rotation;

- integrated nutrient management;
- soil conservation;
- organic matter management;
- efficient fertilizer use;
- diversification suited to local ecology; and
- strengthening agricultural extension services.

The development of fruits and vegetables should also be accompanied by cold-storage, processing and marketing infrastructure to minimize post-harvest losses.

Implications for Agricultural and Rural Planning

The findings synthesized from the supplied material have several implications for planning.

Localized Planning

Agricultural policies should recognize spatial differences within Jaipur district rather than applying uniform strategies.

Water-Based Crop Planning

Crop selection should be linked with local water availability. Water-intensive crops should not be promoted indiscriminately in water-stressed areas.

Sustainable Irrigation

Expansion of irrigation should be accompanied by groundwater management and efficient irrigation technologies.

Promotion of Appropriate Diversification

Diversification should emphasize crops that are economically viable and environmentally suitable.

Strengthening Market Infrastructure

Farmers cultivating fruits, vegetables and other commercial crops require reliable markets, transportation, storage and processing facilities.

Agricultural Extension

Improved access to technical knowledge can help farmers make better decisions regarding seeds, irrigation, soil management and crop selection.

Urban-Rural Land-Use Management

As Jaipur experiences urban growth, agricultural land may face increasing pressure from settlement expansion and infrastructure development. Rural and urban planning should therefore incorporate mechanisms for protecting productive agricultural land where appropriate.

Research Gaps and Future Directions

The reviewed study provides a useful framework for understanding agricultural land-use transformation, but several areas require further investigation.

Future research should incorporate:

1. **Remote sensing and GIS** to identify current land-use changes with greater spatial detail.
2. **Long-term time-series analysis** to identify persistent rather than short-term changes.
3. **Groundwater studies** to examine the relationship between irrigation expansion and groundwater sustainability.
4. **Climate-change analysis** to assess the effect of changing temperature and rainfall patterns.
5. **Farm-level surveys** to understand farmers' motivations for crop selection.
6. **Economic analysis** of crop profitability and input costs.
7. **Market-chain analysis** for fruits, vegetables and commercial crops.
8. **Soil-health assessment** under increasing agricultural intensification.
9. **Water-productivity assessment** to determine the economic output generated per unit of water.
10. **Participatory planning** involving farmers, local authorities and agricultural experts.

Such approaches would provide a more comprehensive understanding of the causes and consequences of agricultural land-use change.

Conclusion

Agricultural land use in Jaipur district has undergone considerable transformation as a result of the interaction of environmental, technological, economic and institutional forces. The agricultural system remains strongly associated with food crops, particularly cereals and pulses, but diversification toward oilseeds, fruits, vegetables and other commercial crops has become increasingly significant in suitable areas.

Irrigation represents one of the most important drivers of this transformation. The expansion and modernization of irrigation have enabled changes in crop selection and agricultural intensity, while improved seeds, mechanization, soil testing and other technologies have contributed to agricultural modernization.

At the same time, the spatially uneven nature of agricultural change demonstrates that Jaipur district cannot be treated as a homogeneous agricultural region. Different areas possess different combinations of soil, rainfall, irrigation, market accessibility and technological capacity. Agricultural planning must therefore be location-specific.

The review also emphasizes that agricultural modernization should not be measured solely by increased production or greater cropping intensity. Long-term agricultural sustainability depends on maintaining soil fertility, conserving water resources, improving water-use efficiency and ensuring that crop diversification remains compatible with local environmental conditions.

Overall, the agricultural future of Jaipur district requires an integrated approach combining water management, sustainable crop diversification, technological innovation, soil conservation, market development and spatially differentiated agricultural planning. Such an approach can help reconcile agricultural productivity with the ecological limitations of Rajasthan's semi-arid environment and contribute to more sustainable rural development.

References

1. Debashis Das (1992): Caste structures and utilization of water resources for irrigation; New dimensions in agricultural geography Volume 3 editor Noor Mohamad Pg. **292.**
2. Grigg Dvid (1971): The agricultural region of the world. Review and reflections. Economic Geography, Vol 46, No 2 Pg. **95-132.**
3. Jasbir Singh (1976): An agricultural geography of Haryana Pg. **309.**
4. Majid Husain (1982) Crop combinations in India Pg. **34,60.**
5. Majid Husain (reprinted 2002): Agricultural geography Rawat Publication Jaipur and New Delhi Pg. **213, 220, 221, 244.**
6. Mazid Husen (2002): A systematic agricultural geography Pg. **217.**
7. Momoria, C.B (1979): Agricultural problems of India Kitab Mahal, Allahabad-Delhi Pg. **108.**
8. Rose, S., & Kalia, S. (2018). Agricultural Land – Use Changes and Correlation: A Case of Jaipur District of an Indian State. International Refereed Journal of Reviews and Research, 6(2).
9. Sing J.P. (1992): Changing patterns of crops and land-use in Haryana, new dimensions in agricultural geography Vol.5 edited by Noor Mohammad Pg. **133**
10. Sunil Vithal Sunatkar (2018): Crop concentration &diversification in Gadchiroli district of Maharashtra, Aayushi International Interdisciplinary Research Journal (AIIRJ), Vol. 4, issue 11, Pg. **65-70.**
11. Aquifer Mapping and Management of Ground Water Resources, Jaipur District, 2022. https://cgwb.gov.in/old_website/AQM/NAQUIM_REPORT/Rajasthan/JAIPUR%20RAJASTHAN.pdf, Pg. **3.**